

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (amended) A raised floor access panel, comprising:

- (a) a substantially flat floor panel having an upper load supporting surface and a lower surface to be supported on a plurality of pedestal support members each adjacent to a corner of the floor panel; and
- (b) at least one panel lifter handle having a top wall and two side walls, the side walls slidably extending through a first and second slots in a plate rigidly attached to the lower surface of the floor panel for vertical travel of the panel lifter handle top wall and side walls upwardly, through a generally rectangular floor panel recess for removing the floor panel from the pedestal support members.

Claim 2 (amended) The raised floor access panel according to Claim 1 further, comprising an adjustable panel leveler threaded through a hole in each corner of the floor panel for adjusting the upper surface to be plainer with the raised floor.

Claim 3 (canceled).

Claim 4 (canceled).

Claim 5 (canceled).

Claim 6 (previously presented) A raised floor access panel, comprising a substantially flat panel having an upper load supporting surface and a lower surface to be supported on a plurality of pedestal members each adjacent to a corner of the panel and a panel leveler threaded through a hole in each corner of the panel for adjusting a distance between the panel and the pedestal members.

Claim 7 (new) A raised floor access panel, comprising:

- (a) a substantially flat floor panel having an upper load supporting surface and a lower surface to be supported on a plurality of pedestal support members each adjacent to a corner of the floor panel;
- (b) at least one panel lifter handle having a top wall and two side walls, the side walls slidably extending through a first and second slots in a plate rigidly attached to the lower surface of the floor panel for vertical travel of the panel lifter handle top wall and side walls upwardly, through a generally rectangular floor panel recess for removing the floor panel from the pedestal support members; and
- (c) an angle bracket extending downwardly from an underside of the plate and an adjustable corner lock pivotally mounted on the bracket, the corner lock on a lever arm actuated by a side wall of the panel lifter handle to forcefully bias the panel against the pedestal.

Claim 8 (new) The raised floor access panel according to Claim 7 further, comprising a lock mounted in the top wall of the panel lifter handle and extending through a hole in the plate for securing the corner lock against the pedestals.

Appl. No. 10/684,018  
Amdt. Dated May 9, 2006  
Reply to Office action of February 9, 2006

Claim 9 (new) The raised floor access panel according to Claim 7 further, comprising a panel lock mounted through a hole in the plate, a hole circumscribing the lock in the top wall of the panel lifter handle, and a latch attached to the top wall of the panel lifter handle and extending through a third slot in the plate for securing the panel corner lock against the pedestal members.